Attorney Docket No. 116536-153427

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application for: Examiner: Wu, Qing Yuan

Shah et al. Art Group: 2194

Application No.: 10/658,626 Confirmation No. 3443

Filed: 09/08/2003

Patent No.: 7,500,242 B2

Issued: 03/03/2009

For: LOW-CONTENTION LOCK

Attn: Certificate of Corrections Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

# REQUEST FOR CERTIFICATE OF CORRECTION

## Dear Sir:

Upon review of the above-referenced Letters Patent, the following errors are noted that are either the mistakes of the U.S. Patent and Trademark Office or the Applicants. The errors are as follows:

## Column 9

At line 18, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 24, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

At line 27, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

At line 31, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

At line 41, "fails, indicating" should have a line break immediately after "fails," and "indicatina" should begin a new line immediately thereafter.

At line 45, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 51, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 58, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

At line 61, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should being a new line immediately thereafter.

At line 65, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

## Column 10

At line 22, "there no threads" should read --there are no threads--.

At line 27, "resource, and the lock" should have a line break immediately after "resource, and" and "the lock" should begin a new line immediately thereafter.

At line 35, "the lock; wherein the lock" should have a line break immediately after "the lock;" and "wherein the lock" should begin a new line immediately thereafter.

# Column 11

At line 9, "the lock," should have a line break immediately after "the lock," and "the lock" should begin a new line immediately thereafter.

At line 16, "the lock, the lock" should have a line break immediately after "the lock," and "the lock" should begin a new line immediately thereafter.

At line 21, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

# Column 12

At lines 22-23, the line ending "the lock," should read --the lock, and--, and the line beginning "and releasing" should read --releasing--.

At line 53, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 60, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

At line 63, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

## Column 13

At line 1, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

At line 12, "transition fails, indicating" should have a line break immediately after "transition fails" and "indicating" should begin a new line immediately thereafter.

At line 17, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 24, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 31, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

# Column 14

At line 3, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

At line 8, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

In the error identified above at column 10, line 22, the word "are" was inadvertently omitted due to a typographical error by the Applicants. The error was made in good faith. A request for a Certificate of Correction to correct this error is made under the provisions of 37 CFR 1.323.

For all other identified errors, the errors are mistakes of U.S. Patent and Trademark Office. Each error involves the claims; Applicants note that the correct claim language can be found in Applicants' amendment filed June 25, 2008. A request for a Certificate of Correction to correct these errors is made under the provisions of 37 CFR 1.322.

Included with this submission is a Certificate of Correction correcting each of the above-identified errors. It is respectfully requested that a Certificate of Correction be issued. Payment by Deposit Account No. 500393 is included in the amount of \$100.00 for the fee as set forth in 37 CFR 1.20(a).

Respectfully submitted, SCHWABE, WILLIAMSON & WYATT, P.C.

Dated: 07/30/2010

/Ryan C. Fox/ Ryan C. Fox Reg. No. 65,369

Pacwest Center, Suites 1600-2000 1211 SW Fifth Avenue Portland, Oregon 97204 Telephone: 503-222-9981

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page 1 of	3
-----------	---

PATENT NO. : 7,500,242 B2

APPLICATION NO.: 10/658,626

ISSUE DATE : 03/03/2009

INVENTOR(S) : Sanjiv M. Shah et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 9

At line 18, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 24, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

At line 27, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

At line 31, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

At line 41, "fails, indicating" should have a line break immediately after "fails," and "indicating" should begin a new line immediately thereafter.

At line 45, "the lock," indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 51, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 58, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

At line 61, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should being a new line immediately thereafter.

At line 65, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

#### Column 10

At line 22, "there no threads" should read -there are no threads -..

At line 27, "resource, and the lock" should have a line break immediately after "resource, and" and "the lock" should begin a new line immediately thereafter.

At line 35, "the lock; wherein the lock" should have a line break immediately after "the lock;" and "wherein the lock" should begin a new line immediately thereafter.

# MAILING ADDRESS OF SENDER (Please do not use customer number below):

SCHWABE, WILLIAMSON & WYATT, P.C.

1211 SW Fifth Avenue, Suite 1600

Portland, OR 97204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USFTO to process) an application. Confidentially is governed by 35 U.S. C. 122 and 37 CFR 1.14. This collection is either to itse 1.0 hour to complete, including gathering, preparing, and submitting the completed application from to the USFTO. Time will wary depending upon the Field vidual cases. Any confidence of the production of the

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-01650)

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Dane	^		2
Page		of	

PATENT NO. : 7,500,242 B2

APPLICATION NO.: 10/658,626

ISSUE DATE : 03/03/2009

INVENTOR(S) : Sanjiv M. Shah et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 11

At line 9, "the lock, the lock" should have a line break immediately after "the lock," and "the lock" should begin a new line immediately thereafter.

At line 16, "the lock, the lock" should have a line break immediately after "the lock," and "the lock" should begin a new line immediately thereafter.

At line 21, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

#### Column 10

At lines 22-23, the line ending "the lock," should read —the lock, and—, and the line beginning "and releasing" should read —releasing—.

At line 53, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 60, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

At line 63, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

## Column 13

At line 1, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

At line 12, "transition fails, indicating" should have a line break immediately after "transition fails" and "indicating" should begin a new line immediately thereafter.

At line 17, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 24, "the lock, indicating" should have a line break immediately after "the lock," and "indicating" should begin a new line immediately thereafter.

At line 31, "the lock, adding" should have a line break immediately after "the lock," and "adding" should begin a new line immediately thereafter.

#### MAILING ADDRESS OF SENDER (Please do not use customer number below):

SCHWABE, WILLIAMSON & WYATT, P.C.

1211 SW Fifth Avenue, Suite 1600

Portland, OR 97204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USFTO to process) an application. Confidentially is governed by 35 U.S. C. 122 and 37 CFR 1.14. This collection is either to itse 1.0 hour to complete, including gathering, preparing, and submitting the completed application from to the USFTO. Time will wary depending upon the Field vidual cases. Any confidence of the production of the

PTO/SB/44 (09-07) Approved for use through 08/31/2010. OMB 0651-0033

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number (Also Form PTO-1050

# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

ATENT NO. :		Page _	3	of _	3_
PPLICATION NO.:	10/658,626				

: 03/03/2009 INVENTOR(S) Sanjiv M. Shah et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

#### Column 14

ISSUE DATE

At line 3, "the lock; and indicating" should have a line break immediately after "the lock; and" and "indicating" should begin a new line immediately thereafter.

At line 8, "the lock, determining" should have a line break immediately after "the lock," and "determining" should begin a new line immediately thereafter.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

SCHWABE, WILLIAMSON & WYATT, P.C.

1211 SW Fifth Avenue, Suite 1600

Portland, OR 97204

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450, DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS, SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria. VA 22313-1450.